Part#	Model	Description	<u>100</u>
<mark>026-0090.0000</mark>	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump.	3,310.75
026-0090.0049	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump. Single Chemical Alarm.	3,394.80
026-0090.0052	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump, W/ Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	5,466.53
027-0090.0000	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru,, Outside Sump.	3,382.50
027-0090.0123	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Outside Sump, Single Chemical Alarm.	3,466.55
027-0090.0127	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Outside Sump, W/ Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	5,538.28
026-1090.0000	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump.	3,456.71
026-1090.0077	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Single Chemical Alarm.	3,540.76
026-1090.0081	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	5,612.49
011-1090.0000	AF-ES	Energy Star, 2-Door, Single Rack, Pass-Thru, Low-temp, Outside Sump.	3,453.84
011-1090.0001	AF-ES	Energy Star, 2-Door, Single Rack, Pass-Thru, Low-temp, Outside Sump, Single Chemical Alarm.	3,537.89
011-1090.0003	AF-ES	Energy Star, 2-Door, single Rack, Pass-Thru, Low-temp, Outside Sump, W/ Muffler Heater 208V/3Ph , Specify Voltage & Phase.	5,609.62
<mark>012-1090.0000</mark>	AFC-ES	Energy Star, 2-Door, Single Rack, Corner, Low-temp, Outside Sump.	3,531.33
012-1090.0221	AFC-ES	Energy Star, 2-Door, Single Rack, Corner, Low-temp, Outside Sump, Single Chemical Alarm.	3,615.38
012-1090.0223	AFC-ES	Energy Star, 2-Door, single Rack, Corner, Low-temp, Outside Sump, W/ Muffler Heater 208V/3Ph , Specify Voltage & Phase.	5,687.11
011-1091.0000	AF-ES 3D	Energy Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump.	3,603.49
011-1091.0206	AF-ES 3D	Energy-Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Single Chemical Alarm.	3,687.54
011-1091.0208	AF-ES 3D	Energy-Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	5,759.27
<mark>030-1090.0000</mark>	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump.	3,897.05
030-1090.0184	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump,. Single Chemical Alarm.	3,981.10
030-1090.0192	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Overshelf_Undershelf.	4,503.03
030-1090.0205	AWS	Energy-Star, Low-Temp, Single Rack, - Single Door, front Load, Inside Sump, _ Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	6,052.83
<mark>030-2090.0000</mark>	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater.	4,188.97
030-2090.0440	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater, /Single Chemical alarm.	4,273.02
030-2090.0447	AWS-H	Low-Temp, Single Rack, - Single Door, front Load, Inside Sump, Sustainer Heater, _ Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	6,344.75
030-2090.0462	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater. Overshelf_Undershelf.	4,794.95
028-0090.0000	5AG-S	Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 40A.	4,503.44
028-0090.0105	5AG-S	Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 40A., /.Single Chemical alarm.	4,587.49
028-0090.0119	5AG-S	Double Rack, Bakery-Tall Hood, Low-temp,. Pass-Thru, Outside Sump, (Includes (2) Sheet Pan Racks), 115V, 1-Ph, 40A.	7,000.34
015-1090.0000	5-AG-ES	Energy-Star, Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 30A.	4,900.32

<u>Part#</u>	Model	Description	<u>100</u>
015-1090.0065	5-AG-ES	Energy-Star, Double Rack, Low-Temp, Pass-Thru, Outside Sump, Single Chemical Alarm, 115V, 1-Ph, 30A.	4,984.37
029-0090.0000	5-CD-LF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Left Front Door Opening.	5,157.39
029-0090.0040	5-CD-LF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Left Front Door Opening, Single Chemical Alarm.	5,241.44
030-0090.0000	5-CD-RF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Right-Front Door Opening.	5,157.39
030-0090.0015	5-CD-RF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Right-Front Door Opening, Single Chemical Alarm.	5,241.44
021-1172.0000	ASQ II	Glasswasher, Manual Carousel. Low-Temp.	4,235.30
<mark>021-1172.0356</mark>	ASQ II	Glasswasher, Manual Carousel. Low-Temp, Single Chemical Alarm.	4,319.35
022-0091.0000	ET-AF-M-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 11" Door OpeningGlassware Cross-Arm.	3,729.36
022-0091.0394	ET-AF-M-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 11" Door Opening Single Chemical Alarm,_Glassware Cross-Arm.	3,813.41
018-1091.0000	ET-AF-3-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 37 1/2" Tall w/ 14" Door Opening Glassware Cross-Arm.	3,800.29
<mark>018-1091.0309</mark>	ET-AF-3-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 37 1/2" Tall w/ 14" Door Opening Single Chemical Alarm_Glassware Cross-Arm.	3,884.34
018-1090.0000	ET-AF-3-PH-S	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 14" Door Opening. Skirted to Ground, _Glassware Cross-Arm.	4,127.06
018-1090.1293	ET-AF-3-PH-S	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 14" Door Opening, Single Chemical Alarm, Skirted to Ground_Glassware Cross-Arm.	4,211.11
024-2090.0000	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump.	3,453.84
024-2090.0162	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump., _ Single Chemical Alarm.	3,537.89
024-2090.0164	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump Muffler Heater 208V, 3-Ph, Specify Voltage & Phase.	5,609.62
024-3090.0000	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump.	3,532.15
024-3090.0145	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump Single Chemical Alarm.	3,616.20
024-3090.0147	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	5,687.93
024-1090.0000	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside Sump.	3,603.49
024-1090.0422	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside SumpSingle Chem alarm.	3,687.54
024-1090.0425	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	5,759.27
016-0090.0000	AFB_w/Bakery Rack	Single Rack, Low Temp, Pass Thru, TALL (Bakery) + 1 (one) S/S Sheetpan Rack.	4,130.75
016-0090.0024		Single Rack, Low Temp, Pass Thru, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Single Chemical alarm.	4,214.80
<mark>016-0090.0028</mark>	AFB_w/Bakery Rack		6,286.53
016-0091.0000	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack.	4,203.73
016-0091.0236	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Single Chemical alarm.	4,287.78
016-0091.0239	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Muffler Heater 208V, 3-Ph. Specify Voltage & Phase.	6,359.51

<u>Part#</u>	<u>Model</u>	Description	<u>100</u>
311-0060.0000	HT-25	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3-	6,593.21
		Ph, 40A, 5-Wire.	
311-0080.0000	HT-25 4 wire	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3-	6,593.21
211 0000 0070		Ph, 40A, 4-WireNO Booster.	0 220 72
311-0080.0970	HT-25 4 wire	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3- Ph, 50A, 4-WireBuilt on Booster.	9,328.73
312-0090.0000	HT-34	Single Rack, Pass-Thru Only, High-temp, Pan Washer, 34" W, No Booster, (Requires	11,733.79
512 0050.0000	111 54	Special tables).	11,755.75
312-0090.0715	HT-34	Single Rack, Pass-Thru Only, High-temp, Pan Washer, w/ Built on Booster.	14,469.31
211-1044.0000	ADC-44 L-R LT	(L-R) 44" Low Temp conveyor, 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify	10,147.09
		Voltage.	
212-1044.0000	ADC-44 R-L LT	(R-L) 44" Low Temp conveyor, 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify	10,147.09
		Voltage.	
211-0044.0000	ADC-44 L-R	(L-R) 44" High Temp conveyor, 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4"	10,346.76
242 0044 0000		Vents, Specify Voltage.	40.046.76
212-0044.0000	ADC-44 R-L	(R-L) 44" High Temp conveyor, 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4"	10,346.76
211-0044.0477	ADC-44 L-R	Vents, Specify Voltage. (L-R) 44" High Temp Conveyor, 208V / 3Ph, w/ Built on Booster, 4" Vents - Voltage &	13,832.17
211-0044.0477	ADC-44 L-N	Phase Required.	13,832.17
211-0044.0470	ADC-44 L-R	(L-R) 44" High Temp Conveyor, 240V /3Ph, w/ Built on Booster, 4" Vents - Voltage &	13,832.17
		Phase Required.	10,001.17
212-0044.0507	ADC-44 R-L	(R-L) 44" High Temp conveyor, 240V /3 PH, w/ Built on Booster, 4" Vents, Voltage &	13,832.17
		Phase Required.	
215-1044.0000	ADC-44-T L-R	(L-R) 44" Low-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Polymer Final Rinse Jets,	15,525.06
		Specify Voltage.	
216-1044.0000	ADC-44-T R-L	(R-L) 44" Low-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Polymer Final Rinse Jets,	15,525.06
		Specify Voltage.	
215-0044.0000	ADC-44-T L-R	(L-R) 44" High-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Stainless Steel Final Rinse	15,707.51
216-0044.0000	High Temp ADC-44-T R-L	Jets, 4" Vents, Specify Voltage. (R-L) 44" High- Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Stainless Steel Final	15,707.51
210-0044.0000	High Temp	Rinse Jets, 4" Vents, Specify Voltage.	15,707.51
215-0044.1131	ADC-44-T L-R	(L-R) 44" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on	19,192.92
	High Temp	Booster.	-,
216-0044.0683	ADC-44-T R-L	(R-L) 44" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on	19,192.92
	High Temp	Booster.	
213-1066.0000	ADC-66 L-R	(L-R) 66" Low-Temp Conveyor, 208V, 3-Ph, 90A, 5-Wire, Polymer Rinse Jets, 4" Vents,	16,274.13
		Specify Voltage.	
214-1066.0000	ADC-66 R-L	(R-L) 66" Low-Temp Conveyor, 208V, 3-Ph, 90A, 5-Wire, Polymer Rinse Jets, 4" Vents,	16,274.13
212 0000 0000		Specify Voltage.	10 274 42
213-0066.0000	ADC-66 L-R	(L-R) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire- (No	16,274.13
214-0066.0000	ADC-66 R-L	Booster Heater). (R-L) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire- (No	16,274.13
214-0000.0000		Booster Heater).	10,274.13
213-0066.0542	ADC-66 L-R	(L-R) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire, Built on	19,759.54
		Booster.	-,
214-0066.0570	ADC-66 R-L	(R-L) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire, Built on	19,759.54
		Booster.	
217-1066.0000	ADC-66-T L-R	(L-R) 66" TALL Hood Conveyor , Low-Temp, 208V/240V, 3-Ph, Polymer Rinse Jets - Must	20,078.52
		Specify Voltage.	
218-1066.0000	ADC-66-T R-L	(R-L) 66" TALL Hood Conveyor , Low-Temp, 208V/240V, 3-Ph, Polymer Rinse Jets - Must	20,078.52
217 0000 0000		Specify Voltage.	20.250.40
217-0066.0000	ADC-66-T L-R	(L-R) 66" TALL Hood Conveyor, High-Temp, 208V/240V, 3-Ph, S/S Final Rinse Jets -	20,258.10
	High Temp	Must Specify Voltage.	

Part#	<u>Model</u>	Description	<u>100</u>
218-0066.0000	ADC-66-T R-L	(R-L) 66" TALL Hood Conveyor , High-Temp, 208V/240V, 3-Ph, S/S Final Rinse Jets -	20,258.10
	High Temp	Must Specify Voltage.	
<mark>217-0066.1138</mark>	ADC-66-T L-R	(L-R) 66" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on	23,743.51
	High Temp	Booster.	
218-0066.1065	ADC-66-T R-L	(R-L) 66" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on	23,743.51
	High Temp	Booster.	
<mark>411-1040</mark>	HUB-40	HUB-40, High Temp Undercounter, w/Booster.	4,733.86