

**2024 ADS Basic Models Blue "Limited Parts Warranty"**

**September 1, 2024**

<b>Part#</b>	<b>Model</b>	<b>Description</b>	<b>Blue</b>
026-0090.0000	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump.	4,441.25
026-0090.0049	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump. Single Chemical Alarm.	4,554.00
026-0090.0052	AF-3D-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Outside Sump, W/ Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	7,333.15
027-0090.0000	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru,, Outside Sump.	4,537.50
027-0090.0123	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Outside Sump, Single Chemical Alarm.	4,650.25
027-0090.0127	AFC-3D-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Outside Sump, W/ Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	7,429.40
026-1090.0000	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump.	4,637.05
026-1090.0077	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Single Chemical Alarm.	4,749.80
026-1090.0081	AF-3D-S 3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	7,528.95
011-1090.0000	AF-ES	Energy Star, 2-Door, Single Rack, Pass-Thru, Low-temp, Outside Sump.	4,633.20
011-1090.0001	AF-ES	Energy Star, 2-Door, Single Rack, Pass-Thru, Low-temp, Outside Sump, Single Chemical Alarm.	4,745.95
011-1090.0003	AF-ES	Energy Star, 2-Door, single Rack, Pass-Thru, Low-temp, Outside Sump, W/ Muffler Heater 208V/3Ph , Specify Voltage & Phase.	7,525.10
012-1090.0000	AFC-ES	Energy Star, 2-Door, Single Rack, Corner, Low-temp, Outside Sump.	4,737.15
012-1090.0221	AFC-ES	Energy Star, 2-Door, Single Rack, Corner, Low-temp, Outside Sump, Single Chemical Alarm.	4,849.90
012-1090.0223	AFC-ES	Energy Star, 2-Door, single Rack, Corner, Low-temp, Outside Sump, W/ Muffler Heater 208V/3Ph , Specify Voltage & Phase.	7,629.05
011-1091.0000	AF-ES 3D	Energy Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump.	4,833.95
011-1091.0206	AF-ES 3D	Energy-Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Single Chemical Alarm.	4,946.70
011-1091.0208	AF-ES 3D	Energy-Star, 3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Outside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	7,725.85
030-1090.0000	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump.	5,227.75
030-1090.0184	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump,. Single Chemical Alarm.	5,340.50
030-1090.0192	AWS	Energy-Star, Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Overshelf_ Undershelf.	6,040.65
030-1090.0205	AWS	Energy-Star, Low-Temp, Single Rack, - Single Door, front Load, Inside Sump, _ Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	8,119.65
030-2090.0000	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater.	5,619.35
030-2090.0440	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater, /Single Chemical alarm.	5,732.10
030-2090.0447	AWS-H	Low-Temp, Single Rack, - Single Door, front Load, Inside Sump, Sustainer Heater, _ Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	8,511.25
030-2090.0462	AWS-H	Low-Temp, Single Rack - Single Door, Front Load, Inside Sump, Sustainer Heater. Overshelf_ Undershelf.	6,432.25
028-0090.0000	5AG-S	Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 40A.	6,041.20
028-0090.0105	5AG-S	Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 40A., /Single Chemical alarm.	6,153.95
028-0090.0119	5AG-S	Double Rack, Bakery-Tall Hood, Low-temp,. Pass-Thru, Outside Sump, (Includes (2) Sheet Pan Racks), 115V, 1-Ph, 40A.	9,390.70
015-1090.0000	5-AG-ES	Energy-Star, Double Rack, Low-Temp, Pass-Thru, Outside Sump, 115V, 1-Ph, 30A.	6,573.60

**2024 ADS Basic Models Blue "Limited Parts Warranty"**

**September 1, 2024**

<b>Part#</b>	<b>Model</b>	<b>Description</b>	<b>Blue</b>
015-1090.0065	5-AG-ES	Energy-Star, Double Rack, Low-Temp, Pass-Thru, Outside Sump, Single Chemical Alarm, 115V, 1-Ph, 30A.	6,686.35
029-0090.0000	5-CD-LF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Left Front Door Opening.	6,918.45
029-0090.0040	5-CD-LF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Left Front Door Opening, Single Chemical Alarm.	7,031.20
030-0090.0000	5-CD-RF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Right-Front Door Opening.	6,918.45
030-0090.0015	5-CD-RF	Corner-Double Rack, Low-temp, Corner, Outside Sump, Right-Front Door Opening, Single Chemical Alarm.	7,031.20
021-1172.0000	ASQ II	Glasswasher, Manual Carousel. Low-Temp.	5,681.50
021-1172.0356	ASQ II	Glasswasher, Manual Carousel. Low-Temp, Single Chemical Alarm.	5,794.25
022-0091.0000	ET-AF-M-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 11" Door Opening._ Glassware Cross-Arm.	5,002.80
022-0091.0394	ET-AF-M-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 11" Door Opening._ Single Chemical Alarm,_ Glassware Cross-Arm.	5,115.55
018-1091.0000	ET-AF-3-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 37 1/2" Tall w/ 14" Door Opening._ Glassware Cross-Arm.	5,097.95
018-1091.0309	ET-AF-3-PH	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 37 1/2" Tall w/ 14" Door Opening._ Single Chemical Alarm_Glassware Cross-Arm.	5,210.70
018-1090.0000	ET-AF-3-PH-S	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 14" Door Opening. Skirted to Ground, _Glassware Cross-Arm.	5,536.30
018-1090.1293	ET-AF-3-PH-S	Under Counter, Low Temp, Single Rack, Pumped Drain & Sustainer Heater, 34 1/2" Tall w/ 14" Door Opening, Single Chemical Alarm, Skirted to Ground_Glassware Cross-Arm.	5,649.05
024-2090.0000	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump.	4,633.20
024-2090.0162	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump., _ Single Chemical Alarm.	4,745.95
024-2090.0164	L-90-3DW-S	2-Door, Single Rack, Low Temp, Pass Thru, Convertible to Corner, Inside Sump._ Muffler Heater 208V, 3-Ph, Specify Voltage & Phase.	7,525.10
024-3090.0000	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump.	4,738.25
024-3090.0145	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump._ Single Chemical Alarm.	4,851.00
024-3090.0147	L-90-3DWC-S	2-Door, Single Rack, Low Temp, Corner, Convertible to Pass-Thru, Inside Sump._ Muffler heater 208V, 3-Ph, Specify Voltage & Phase.	7,630.15
024-1090.0000	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside Sump.	4,833.95
024-1090.0422	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside Sump._Single Chem alarm.	4,946.70
024-1090.0425	L-90-3DWS-3D	3-Door, Single Rack, Low Temp, Pass Thru, Three Door Up, Inside Sump, Muffler Heater, 208V, 3-Ph, Specify Voltage & Phase.	7,725.85
016-0090.0000	AFB_w/Bakery Rack	Single Rack, Low Temp, Pass Thru, TALL (Bakery) + 1 (one) S/S Sheetpan Rack.	5,541.25
016-0090.0024	AFB_w/Bakery Rack	Single Rack, Low Temp, Pass Thru, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Single Chemical alarm.	5,654.00
016-0090.0028	AFB_w/Bakery Rack	Single Rack, Low Temp, Pass Thru, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Muffler Heater 208V, 3-Ph. Specify Voltage & Phase.	8,433.15
016-0091.0000	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack.	5,639.15
016-0091.0236	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Single Chemical alarm.	5,751.90
016-0091.0239	AFB-C Corner Bakery	Single Rack, Low Temp, Corner, TALL (Bakery) + 1 (one) S/S Sheetpan Rack,_Muffler Heater 208V, 3-Ph. Specify Voltage & Phase.	8,531.05

**2024 ADS Basic Models Blue "Limited Parts Warranty"**

**September 1, 2024**

<b>Part#</b>	<b>Model</b>	<b>Description</b>	<b>Blue</b>
311-0060.0000	HT-25	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3-Ph, 40A, 5-Wire.	8,844.55
311-0080.0000	HT-25 4 wire	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3-Ph, 40A, 4-Wire._NO Booster.	8,844.55
311-0080.0970	HT-25 4 wire	Single Rack, High Temp, 3-door Up, Set As Pass-Thru, w/ 60 Second Timer, -208/240V, 3-Ph, 50A, 4-Wire._Built on Booster.	12,514.15
312-0090.0000	HT-34	Single Rack, Pass-Thru Only, High-temp, Pan Washer, 34" W, No Booster, (Requires Special tables).	15,740.45
312-0090.0715	HT-34	Single Rack, Pass-Thru Only, High-temp, Pan Washer, w/ Built on Booster.	19,410.05
211-1044.0000	ADC-44 L-R LT	( L-R ) 44" Low Temp conveyor, 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify Voltage.	13,611.95
212-1044.0000	ADC-44 R-L LT	( R-L ) 44" Low Temp conveyor, 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify Voltage.	13,611.95
211-0044.0000	ADC-44 L-R	( L-R ) 44" High Temp conveyor, 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4" Vents, Specify Voltage.	13,879.80
212-0044.0000	ADC-44 R-L	( R-L ) 44" High Temp conveyor, 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4" Vents, Specify Voltage.	13,879.80
211-0044.0477	ADC-44 L-R	( L-R ) 44" High Temp Conveyor, 208V / 3Ph, w/ Built on Booster, 4" Vents - Voltage & Phase Required.	18,555.35
211-0044.0470	ADC-44 L-R	( L-R ) 44" High Temp Conveyor, 240V /3Ph, w/ Built on Booster, 4" Vents - Voltage & Phase Required.	18,555.35
212-0044.0507	ADC-44 R-L	( R-L ) 44" High Temp conveyor, 240V /3 PH, w/ Built on Booster, 4" Vents, Voltage & Phase Required.	18,555.35
215-1044.0000	ADC-44-T L-R	( L-R ) 44" Low-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify Voltage.	20,826.30
216-1044.0000	ADC-44-T R-L	( R-L ) 44" Low-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Polymer Final Rinse Jets, Specify Voltage.	20,826.30
215-0044.0000	ADC-44-T L-R High Temp	( L-R ) 44" High-Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4" Vents, Specify Voltage.	21,071.05
216-0044.0000	ADC-44-T R-L High Temp	( R-L ) 44" High- Temp conveyor, (Tall Hood), 208 or 240v/3 PH, Stainless Steel Final Rinse Jets, 4" Vents, Specify Voltage.	21,071.05
215-0044.1131	ADC-44-T L-R High Temp	( L-R ) 44" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on Booster.	25,746.60
216-0044.0683	ADC-44-T R-L High Temp	( R-L ) 44" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on Booster.	25,746.60
213-1066.0000	ADC-66 L-R	( L-R ) 66" Low-Temp Conveyor, 208V, 3-Ph, 90A, 5-Wire, Polymer Rinse Jets, 4" Vents, Specify Voltage.	21,831.15
214-1066.0000	ADC-66 R-L	( R-L ) 66" Low-Temp Conveyor, 208V, 3-Ph, 90A, 5-Wire, Polymer Rinse Jets, 4" Vents, Specify Voltage.	21,831.15
213-0066.0000	ADC-66 L-R	( L-R ) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire- (No Booster Heater).	21,831.15
214-0066.0000	ADC-66 R-L	( R-L ) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire- (No Booster Heater).	21,831.15
213-0066.0542	ADC-66 L-R	( L-R ) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire, Built on Booster.	26,506.70
214-0066.0570	ADC-66 R-L	( R-L ) 66" High-Temp Conveyor, Stainless Rinse Jets, 208V, 3-Ph, 90A, 5-Wire, Built on Booster.	26,506.70
217-1066.0000	ADC-66-T L-R	( L-R ) 66" TALL Hood Conveyor , Low-Temp, 208V/ 240V, 3-Ph, Polymer Rinse Jets - Must Specify Voltage.	26,934.60
218-1066.0000	ADC-66-T R-L	( R-L ) 66" TALL Hood Conveyor , Low-Temp, 208V/ 240V, 3-Ph, Polymer Rinse Jets - Must Specify Voltage.	26,934.60
217-0066.0000	ADC-66-T L-R High Temp	( L-R ) 66" TALL Hood Conveyor , High-Temp, 208V/ 240V, 3-Ph, S/S Final Rinse Jets - Must Specify Voltage.	27,175.50

2024 ADS Basic Models Blue "Limited Parts Warranty"

September 1, 2024

<u>Part#</u>	<u>Model</u>	<u>Description</u>	<u>Blue</u>
218-0066.0000	ADC-66-T R-L High Temp	( R-L ) 66" TALL Hood Conveyor , High-Temp, 208V/ 240V, 3-Ph, S/S Final Rinse Jets - Must Specify Voltage.	27,175.50
217-0066.1138	ADC-66-T L-R High Temp	( L-R ) 66" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on Booster.	31,851.05
218-0066.1065	ADC-66-T R-L High Temp	( R-L ) 66" TALL Hood Conveyor , High-Temp, 208V, 3-Ph, S/S Final Rinse Jets, Built on Booster.	31,851.05
411-1040	HUB-40	HUB-40, High Temp Undercounter, w/Booster.	6,350.30